NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE FOR THE WEEK ENDING SATURDAY THE 16TH JUNE 1923.

A total of 44 attacks and 32 deaths from plague was returned for the State, against 54 attacks and 31 deaths during the week previous, the Cities of Bangalore and Kolar Gold Fields and the districts of Tumkur and Chitaldrug remaining free from infection. The Mysore City reported 3 attacks and 1 death.

2. There were no cases of cholera reported during the week.

3. The total mortality for the Bangalore City amounted to 55, representing a calculated annual ratio of 24·12 per mille of population against the average ratio of 34·83. Classified according to ease causes, the deaths numbered 5 under malaria, 4 under pneumonia, 1 under other fevers, 3 under phthisis, 4 under dysentery and diarrhœa and 38 under all other causes.

4. The total mortality for the Mysore City aggregated to 27 representing a calculated annual ratio of 16·72 per mille of population against the average ratio of 33·48. The causes of deaths were plague 1, malaria 1, pneumonia 4, other fevers 1, phthisis 3, dysentery and diarrhœa 3 and all other causes 14.

5. Influenza was prevalent in only two villages of Mulbagal Taluk, the total number of attacks and deaths reported being 20 and 1 respectively.

6. Only two places reported cases of relapsing fever, *viz.*, Dantaramakki of Chikmagalur Town and Kolar Gold Fields area. In all 7 cases were reported for the week.

S. SIVA RAO,
For *Offg. Sanitary Commissioner.*
(Absent from Station.)

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE FOR WEEK ENDING SATURDAY THE 23RD JUNE 1923.

A total of 12 attacks and 9 deaths from plague was returned for the State against 44 attacks and 32 deaths during the week previous, the districts of Mysore, Hassan, Shimoga and Kadur being effected.

2. There were no cases of cholera reported during the week.

3. The total mortality for the Bangalore City amounted to 60, representing a calculated annual ratio of 26·31 per mille of population against the average ratio of 34·83. Classified according to causes, the deaths numbered 7 under malaria, 5 under pneumonia, 5 under other fevers, 5 under phthisis, 6 under dysentery and diarrhœa and 32 under all other causes.

4. The total mortality for the Mysore City aggregated to 23, representing a calculated annual ratio of 17·34 per mille of population against the average ratio of 33·48. The causes of deaths were pneumonia 3, other fevers 3, phthisis 2, dysentery 1, small-pox 1, and all other causes 18.

5. Influenza was prevalent in four villages of Mulbagal Taluk and one of Hunsur Taluk, the total number of attacks and deaths reported being 26 and 1 respectively.

6. There were no cases of relapsing fever reported during the week.

S. SHIVA RAO,
For *Offg. Sanitary Commissioner.*